

FIG. 1A (PRIOR ART)





FIG. 1B (PRIOR ART)








FIG. 3




FIG. 4


```
HostIdMapping
                    SEQUENCE
               ::=
     hostName
                    [1]
                         IMPLICIT
                                   IA5String,
     subjectID
                                   IA5String,
                         IMPLICIT
                                    IdProof OPTIONAL
     proofOfIdPossession
IdProof ::=
              SEQUENCE
                         OCTET STRING,
     secret
     encryptionAlgorithm OBJECT IDENTIFIER
```


FIG. 6

4/7

```
Certificate ::= SEQUENCE
                              TBSCertificate,
     tbsCertificate
                              AlgorithmIdentifier,
      signatureAlgorithm
                              BIT STRING }
     signature
TBSCertificate ::= SEQUENCE
     version
                        [0]
                              Version DEFAULT v1,
     serialNumber
                              CertificateSerialNumber,
                              AlgorithmIdentifier,
     signature
      issuer
                              Name,
                              Validity,
     validity
      subject
                              Name,
                              SubjectPublicKeyInfo,
      subjectPublicKeyInfo
                              IMPLICIT UniqueIdentifier OPTIONAL,
      issuerUniqueID
                     [1]
                              IMPLICIT UniqueIdentifier OPTIONAL,
      subjectUniqueID
                        [2]
                              Extensions OPTIONAL
                        [3]
      extensions
Version ::= INTEGER { v1(0), v2(1), v3(2) }
CertificateSerialNumber ::= INTEGER
Validity ::= SEQUENCE {
     notBefore
                              Time,
     notAfter
                              Time }
Time ::= CHOICE {
                              UTCTime,
     utcTime
     generalTime
                              GeneralizedTime }
UniqueIdentifier ::= BIT STRING
SubjectPublicKeyInfo ::=
                           SEQUENCE {
      algorithm
                              AlgorithmIdentifier,
                              BIT STRING }
      subjectPublicKey
Extensions ::= SEQUENCE SIZE (1..MAX) OF Extension
Extension ::= SEQUENCE {
      extnID
                              OBJECT IDENTIFIER,
                              BOOLEAN DEFAULT FALSE,
      critical
                              OCTET STRING }
      extnValue
```

FIG. 5 (PRIOR ART) ·





7/7




FIG. 8C